

The Evening Sky Map

FREE* EACH MONTH FOR YOU TO EXPLORE, LEARN & ENJOY THE NIGHT SKY

Sky Calendar – March 2020

Get Sky Calendar on Twitter
<http://twitter.com/skymaps>

- 1 Moon near the Pleiades (evening sky) at 22h UT.
- 2 Moon near Aldebaran (evening sky) at 15h UT.
- 2 First Quarter Moon at 19:57 UT.
- 6 Moon near Beehive cluster M44 (evening sky) at 23h UT.
- 8 Moon near Regulus (evening sky) at 11h UT.
- 9 Full Moon at 17:47 UT.
- 10 Moon at perigee (closest to Earth) at 6:24 UT (distance 357,122 km; angular size 33.5').
- 12 Moon near Spica (morning sky) at 1h UT.
- 15 Moon near Antares (morning sky) at 6h UT.
- 16 Last Quarter Moon at 9:35 UT.
- 18 Moon, Mars and Jupiter within a circle of diameter 1.6° (morning sky) at 10h UT. Mags. 0.9 and -2.1.
- 19 Moon near Saturn (59° from Sun, morning sky) at 1h UT. Mag. 0.7.
- 20 Vernal equinox at 3:54 UT. The time when the Sun reaches the point along the ecliptic where it crosses into the northern celestial hemisphere marking the start of spring in the Northern Hemisphere and autumn in the Southern Hemisphere.
- 20 Mars 0.7° S of Jupiter (67° from Sun, morning sky) at 11h UT. Mags. 0.9 and -2.1.
- 21 Moon near Mercury (28° from Sun, morning sky) at 21h UT. Mag. 0.3.
- 24 Mercury at greatest elongation west (28° from Sun, morning sky) at 2h UT. Mag. 0.3.
- 24 New Moon at 9:28 UT. Start of lunation 1203.
- 24 Moon at apogee (farthest from Earth) at 15h UT (distance 406,692 km; angular size 29.4').
- 24 Venus at greatest elongation east (46° from Sun, evening sky) at 22h UT. Mag. -4.4.
- 28 Moon near Venus (evening sky) at 16h UT. Mag. -4.4.
- 29 Moon near the Pleiades (evening sky) at 4h UT.
- 29 Moon near Aldebaran (evening sky) at 22h UT.
- 31 Mars 0.9° SE of Saturn (morning sky) at 18h UT. Mags. 0.8 and 0.7.

More sky events and links at <http://Skymaps.com/skycalendar/>

All times in Universal Time (UT). (USA Eastern Summer Time = UT – 4 hours.)



SAVE ON RECOMMENDED PRODUCTS • <http://Skymaps.com/store>


- STAR ATLASSES & PLANISPHERES
 - STAR CHARTS & ASTRO POSTERS
 - BOOKS FOR SKY WATCHERS
 - TELESCOPES & BINOCULARS
- Help support the production and free distribution of The Evening Sky Map

NORTHERN HEMISPHERE MARCH 2020

SKY MAP SHOWS HOW
THE NIGHT SKY LOOKS

EARLY MAR 9 PM
LATE MAR 8 PM

(Add 1 Hour for Daylight Saving)
 SKY MAP DRAWN FOR
 A LATITUDE OF 40°
 NORTH AND IS
 SUITABLE FOR
 LATITUDES UP
 TO 15° NORTH
 OR SOUTH
 OF THIS



Symbols

- Galaxy ☾
- Double Star ●●
- Variable Star ⊙
- Diffuse Nebula □
- Planetary Nebula ☆
- Open Star Cluster ○
- Global Star Cluster ⊕

Star Magnitudes ●●●●●
 -1 0 1 2 3 4

Copyright © 2000–2020 Kym Thalassoudis. All Rights Reserved.

* TERMS OF USE: FREE FOR NON-COMMERCIAL EDUCATIONAL USE. ASTRONOMY EDUCATION GROUPS MAY FREELY DISTRIBUTE PRINTED HANDOUTS. FULL DETAILS AT <http://Skymaps.com/terms.html>

INSTRUCTIONS: THE SKY MAP SHOWS THE ENTIRE NIGHT SKY FROM HORIZON-TO-HORIZON AS IT APPEARS ON CERTAIN DATES AND TIMES. THE CENTER OF THE MAP IS THE PART OF THE SKY DIRECTLY OVERHEAD (ZENITH) AND THE OUTER CIRCLE REPRESENTS THE DIRECTION OF A HORSE-DRAWN CHARIOT.

The constellation Canis Major (The Great Dog) is dominated by Sirius, the Dog Star, the brightest star in the night sky.

Use the Big Dipper (or Plough) to find Polaris (the North Star). The Big Dipper is located in the north-eastern sky to find Polaris (the North Star). The Sickle is an easy way to find Spica (the head and chest of Leo (The Lion)).

From northern latitudes, stars appear to rotate around the North Celestial Pole (NCP). COMPASS DIRECTIONS ARE INDICATED ALONG THE HORIZON CIRCLE (FOR EXAMPLE, NORTH). TO USE THE SKY MAP PROUDLY LOCATED IN THE NORTH-EASTERN SKY TO FIND POLARIS (THE NORTH STAR). THE SICKLE IS AN EASY WAY TO FIND SPICA (THE HEAD AND CHEST OF LEO (THE LION)).

WWW.SKYMAPS.COM

About the Celestial Objects

Listed on this page are several of the brighter, more interesting celestial objects visible in the evening sky this month (refer to the monthly sky map). The objects are grouped into three categories. Those that can be easily seen with the naked eye (that is, without optical aid), those easily seen with binoculars, and those requiring a telescope to be appreciated. **Note, all of the objects (except single stars) will appear more impressive when viewed through a telescope or very large binoculars.** They are grouped in this way to highlight objects that can be seen using the optical equipment that may be available to the star gazer.

Tips for Observing the Night Sky

When observing the night sky, and in particular deep-sky objects such as star clusters, nebulae, and galaxies, it's always best to observe from a dark location. Avoid direct light from street lights and other sources. If possible observe from a dark location away from the light pollution that surrounds many of today's large cities.

You will see more stars after your eyes adapt to the darkness—usually about 10 to 20 minutes after you go outside. Also, if you need to use a torch to view the sky map, cover the light bulb with red cellophane. This will preserve your dark vision.

Finally, even though the Moon is one of the most stunning objects to view through a telescope, its light is so bright that it brightens the sky and makes many of the fainter objects very difficult to see. So try to observe the evening sky on moonless nights around either New Moon or Last Quarter.

Astronomical Glossary

Conjunction – An alignment of two celestial bodies such that they present the least angular separation as viewed from Earth.

Constellation – A defined area of the sky containing a star pattern.

Diffuse Nebula – A cloud of gas illuminated by nearby stars.

Double Star – Two stars that appear close to each other in the sky; either linked by gravity so that they orbit each other (binary star) or lying at different distances from Earth (optical double). Apparent separation of stars is given in seconds of arc (").

Ecliptic – The path of the Sun's center on the celestial sphere as seen from Earth.

Elongation – The angular separation of two celestial bodies. For Mercury and Venus the greatest elongation occurs when they are at their most angular distance from the Sun as viewed from Earth.

Galaxy – A mass of up to several billion stars held together by gravity.

Globular Star Cluster – A ball-shaped group of several thousand old stars.

Light Year (ly) – The distance a beam of light travels at 300,000 km/sec in one year.

Magnitude – The brightness of a celestial object as it appears in the sky.

Open Star Cluster – A group of tens or hundreds of relatively young stars.

Opposition – When a celestial body is opposite the Sun in the sky.

Planetary Nebula – The remnants of a shell of gas blown off by a star.

Universal Time (UT) – A time system used by astronomers. Also known as Greenwich Mean Time. USA Eastern Standard Time (for example, New York) is 5 hours behind UT.

Variable Star – A star that changes brightness over a period of time.

NORTHERN HEMISPHERE MARCH 2020 CELESTIAL OBJECTS



Easily Seen with the Naked Eye

Capella	Aur	•	The 6th brightest star. Appears yellowish in color. Spectroscopic binary. Dist=42 ly.
Arcturus	Boo	•	Orange, giant K star. Name means "bear watcher". Dist=36.7 ly.
Sirius	CMa	•	The brightest star in the sky. Also known as the "Dog Star". Dist=8.6 ly.
Procyon	CMi	•	Greek name meaning "before the dog" - rises before Sirius (northern latitudes). Dist=11.4 ly.
δ Cephei	Cep	♁	Cepheid prototype. Mag varies between 3.5 & 4.4 over 5.366 days. Mag 6 companion.
Castor	Gem	•	Multiple star system with 6 components. 3 stars visible in telescope. Dist=52 ly.
Pollux	Gem	•	With Castor, the twin sons of Leda in classical mythology. Dist=34 ly.
Regulus	Leo	•	Brightest star in Leo. A blue-white star with at least 1 companion. Dist=77 ly.
Rigel	Ori	•	The brightest star in Orion. Blue supergiant star with mag 7 companion. Dist=770 ly.
Betelgeuse	Ori	•	One of the largest red supergiant stars known. Diameter=300 times that of Sun. Dist=430 ly.
Algol	Per	☉	Famous eclipsing binary star. Magnitude varies between 2.1 & 3.4 over 2.867 days.
Pleiades	Tau	☉	The Seven Sisters. Spectacular cluster. Many more stars visible in binoculars. Dist=399 ly.
Hyades	Tau	☉	Large V-shaped star cluster. Binoculars reveal many more stars. Dist=152 ly.
Aldebaran	Tau	•	Brightest star in Taurus. It is not associated with the Hyades star cluster. Dist=66.7 ly.
Polaris	UMi	•	The North Pole Star. A telescope reveals an unrelated mag 8 companion star. Dist=433 ly.

Easily Seen with Binoculars

M31	And	☉	The Andromeda Galaxy. Most distant object visible to naked eye. Dist=2.5 million ly.
M38	Aur	☉	Stars appear arranged in "pi" or cross shape. Dist=4,300 ly.
M36	Aur	☉	About half size of M38. Located in rich Milky Way star field. Dist=4,100 ly.
M37	Aur	☉	Very fine star cluster. Discovered by Messier in 1764. Dist=4,400 ly.
M44	Cnc	☉	Praesepe or Beehive Cluster. Visible to the naked eye. Dist=590±20 ly.
M3	CVn	☉	Easy to find in binoculars. Might be glimpsed with the naked eye.
M41	CMa	☉	First recorded observation by Aristotle in 325 BC as "cloudy spot". Dist=2,300 ly.
Mel 111	Com	☉	Coma Berenices. 80 mag 5-6 stars in 5 deg. Dist=288 ly. Age=400 million years.
M35	Gem	☉	Fine open cluster located near foot of the twin Castor. Dist=2,800 ly.
M48	Hya	☉	12+ stars in 7x binoculars. Triangular asterism near centre. Dist=1,990 ly.
γ Leporis	Lep	•	Visible with binoculars. Gold & white stars. Mags 3.6 & 6.2. Dist=30 ly. Sep=96.3".
2232	Mon	☉	A large scattered star cluster of 20 stars. Dist=1,300 ly.
2244	Mon	☉	Surrounded by the rather faint Rosette Nebula. Dist=5,540 ly.
M50	Mon	☉	Visible with binoculars. Telescope reveals individual stars. Dist=3,000 ly.
Cr 69	Ori	☉	Lambda Orionis Cluster. Dist=1,630 ly.
M42	Ori	☉	The Great Orion Nebula. Spectacular bright nebula. Best in telescope. Dist=1,300 light years.
Double Cluster	Per	☉	Double Cluster in Perseus. NGC 869 & 884. Excellent in binoculars. Dist=7,300 ly.
M47	Pup	☉	Bright star cluster. 15+ stars in 7x binoculars. Dist=1,500 ly.
M46	Pup	☉	Dist=5,400 ly. Contains planetary NGC 2438 (Mag 11, d=65") - not associated.
Mizar & Alcor	UMa	•	Good eyesight or binoculars reveals 2 stars. Not a binary. Mizar has a mag 4 companion.

Telescopic Objects

γ Andromedae	And	•	Attractive double star. Bright orange star with mag 5 blue companion. Sep=9.8".
ε Boötis	Boo	•	Red giant star (mag 2.5) with a blue-green mag 4.9 companion. Sep=2.8". Difficult to split.
M67	Cnc	☉	Contains 500+ stars mag 10 & fainter. One of the oldest clusters. Dist=2,350 ly.
M94	CVn	☉	Compact nearly face-on spiral galaxy. Dist=15 million ly.
M51	CVn	☉	Whirlpool Galaxy. First recognised to have spiral structure. Dist=25 million ly.
η Cassiopeiae	Cas	•	Yellow star mag 3.4 & orange star mag 7.5. Dist=19 ly. Orbit=480 years. Sep=12".
M64	Com	☉	Black-Eye Galaxy. Discovered by J.E. Bode in 1775 - "a small, nebulous star".
3242	Hya	☉	Ghost of Jupiter. Bright blue disk. Mag 11 central star. Dist=2,600 ly.
γ Leonis	Leo	•	Superb pair of golden-yellow giant stars. Mags 2.2 & 3.5. Orbit=600 years. Sep=4.4".
β Monocerotis	Mon	•	Triple star. Mags 4.6, 5.0 & 5.4. Requires telescope to view arc-shape. Sep=7.3".
2264	Mon	•	Christmas Tree Cluster. Associated with the Cone Nebula. Dist=2,450 ly.
α Orionis	Ori	•	Superb multiple star. 2 mag 7 stars one side, mag 9 star on other. Struve 761 triple in field.
k Puppis	Pup	•	Telescope easily shows two blue-white stars of almost equal brightness. Sep=9.9".
M1	Tau	☐	Crab Nebula. Remnant from supernova which was visible in 1054. Dist=6,500 ly.
M81	UMa	☉	Beautiful spiral galaxy visible with binoculars. Easy to see in a telescope.
M82	UMa	☉	Close to M81 but much fainter and smaller.
M87	Vir	☉	Supergiant galaxy with supermassive black hole at its core. Dist=53.5 million ly.
γ Virginis	Vir	•	Superb pair of mag 3.5 yellow-white stars. Orbit=169 years. At their closest in 2005.

Calendario del cielo - Marzo 2020

- 1 Luna cerca de las Pléyades (cielo nocturno) a las 22h TU.
- 2 Luna cerca de Aldebarán (cielo nocturno) a las 15h TU.
Luna en cuarto creciente a las 19:57 TU.
- 5 Luna cerca de Castor (cielo nocturno) a las 19h TU.
- 6 Luna cerca de Pólux (cielo nocturno) a las 0h TU.
Luna cerca del cúmulo de Beehive M44 (cielo nocturno) a las 23h TU.
- 8 Luna cerca de Regulus (cielo nocturno) a las 11h TU.
- 9 Luna llena a las 17:47 TU.
- 10 Luna en perigeo (la más cercana a la Tierra) a las 6:24 TU (distancia 357.122 km; tamaño angular 33,5').
- 12 Luna cerca de Spica (cielo matutino) a 1h TU.
- 15 Luna cerca de Antares (cielo matutino) a las 6h TU.
- 16 Luna en cuarto menguante a las 9:35 TU.
- 18 Luna cerca de Marte (cielo matutino) a las 9h TU. Mag. 0.9.
Luna, Marte y Júpiter dentro de un círculo de 1,6° de diámetro (cielo matutino) a las 10h TU. Mags. 0,9 y -2,1.
Luna cerca de Júpiter (66° del Sol, cielo matutino) a las 11h TU. Mag. -2.1.
- 19 Luna cerca de Saturno (59° del Sol, cielo matutino) a 1h TU. Mag. 0.7.
- 20 Equinoccio de primavera a las 3:54 TU. Es el momento en que el Sol alcanza el punto a lo largo de la eclíptica donde se cruza con el hemisferio celeste norte, marcando el comienzo de la primavera en el hemisferio norte y el otoño en el hemisferio sur.
Marte 0,7° S de Júpiter (67° del Sol, cielo matutino) a las 11h TU. Mags. 0,9 y -2,1.
- 21 Luna cerca de Mercurio (28° del Sol, cielo matutino) a las 21h TU. Mag. 0.3.
- 24 Mercurio en la mayor elongación al oeste (28° desde el Sol, cielo matutino) a las 2h TU. Mag. 0.3.
Luna Nueva a las 9:28 TU. Inicio de la lunación 1203.
- 24 Luna en apogeo (la más alejada de la Tierra) a 15h TU (distancia 406.692 km; tamaño angular 29,4').
Venus en la mayor elongación hacia el este (46° desde el Sol, cielo nocturno) a las 22h TU. Mag. -4.4.
- 28 Luna cerca de Venus (cielo nocturno) a las 16h TU. Mag. -4.4.
- 29 Luna cerca de las Pléyades (cielo nocturno) a las 4h TU.

Luna cerca de Aldebarán (cielo nocturno) a las 22h TU.

31 Marte 0.9° SE de Saturno (cielo matutino) a las 18h TU. Mags. 0,8 y 0,7.

Todas las horas son en Tiempo Universal (TU). ¡Cielos despejados hasta el próximo mes!