

The Evening Sky Map

FREE* EACH MONTH FOR YOU TO EXPLORE, LEARN & ENJOY THE NIGHT SKY

WWW.SKYMAPS.COM
GEMINA IS THE BRIGHTEST "KEY" IN CORONA BOREALIS. THE NORTHERN CROWN.

Get Sky Calendar on Twitter
http://twitter.com/skymaps

Sky Calendar – April 2020

- 1 **First Quarter Moon** at 10:21 UT.
- 3 **Moon near Beehive cluster M44** (evening sky) at 8h UT.
- 4 **Venus 0.25° SE of Alcyone** (brightest star in the Pleiades) (46° from Sun, evening sky) at 2h UT. Mags. -4.4 and 2.9. This is the closest **Venus-Pleiades conjunction** in 8 years. The event will be visible worldwide from 1 to 5 April.
- 4 **Moon near Regulus** (evening sky) at 22h UT.
- 7 **Moon at perigee** (closest to Earth) at 17:59 UT (distance 356,907 km; angular size 33.5').
- 8 **Full Moon** at 2:34 UT.
- 8 **Moon near Spica** (midnight sky) at 12h UT.
- 11 **Moon near Antares** (morning sky) at 15h UT.
- 14 **Last Quarter Moon** at 22:56 UT.
- 15 **Moon near Jupiter** (morning sky) at 0h UT. Mag. -2.2.
- 15 **Moon, Jupiter and Saturn** within a circle of diam. 5.5° (morning sky) at 7h UT. Mags. -2.2 and 0.6.
- 15 **Moon near Saturn** (morning sky) at 11h UT. Mag. 0.6.
- 16 **Moon near Mars** (morning sky) at 6h UT. Mag. 0.6.
- 20 **Moon at apogee** (farthest from Earth) at 19h UT (distance 406,462 km; angular size 29.4').
- 21 **Moon near Mercury** (14° from Sun, morning sky) at 21h UT. Mag. -0.8.
- 22 **Lyrid meteor shower** peaks at 7h UT (variable). Active April 14-30. Radiant is between Hercules and Lyra. Expect 10 to 20 bright, fast meteors per hour at its peak. Observing conditions are optimal in 2020.
- 23 **New Moon** at 2:26 UT. Start of lunation 1204.
- 25 **Moon near the Pleiades** (evening sky) at 10h UT.
- 26 **Moon near Aldebaran** (evening sky) at 3h UT.
- 26 **Moon near Venus** (evening sky) at 18h UT. Mag. -4.52.
- 28 **Venus at its brightest** at 15h UT. Mag. -4.52.
- 30 **Moon near Beehive cluster M44** (evening sky) at 15h UT.
- 30 **First Quarter Moon** at 20:38 UT.

More sky events and links at <http://Skymaps.com/skycalendar/>
All times in Universal Time (UT). (USA Eastern Summer Time = UT - 4 hours.)



SAVE ON RECOMMENDED PRODUCTS • <http://Skymaps.com/store>

- STAR ATLASES & PLANISPHERES
- STAR CHARTS & ASTRO POSTERS
- BOOKS FOR SKY WATCHERS
- TELESCOPES & BINOCULARS


All sales support the production and free distribution of The Evening Sky Map.

NORTHERN HEMISPHERE APRIL 2020

SKY MAP SHOWS HOW THE NIGHT SKY LOOKS

EARLY APR 10 PM
LATE APR 9 PM
(Add 1 Hour for Daylight Saving)

SKY MAP DRAWN FOR A LATITUDE OF 40° NORTH AND IS SUITABLE FOR LATITUDES UP TO 15° NORTH OR SOUTH OF THIS



- Symbols**
- Galaxy ☉
 - Double Star ••
 - Variable Star ⊙
 - Diffuse Nebula □
 - Planetary Nebula ⊕
 - Open Star Cluster ○
 - Globular Star Cluster ⊕

Star Magnitudes -1 0 1 2 3 4

Copyright © 2000-2020 Kym Thalassoudis. All Rights Reserved.

* **TERMS OF USE:** FREE FOR NON-COMMERCIAL EDUCATIONAL USE. ASTRONOMY EDUCATION GROUPS MAY FREELY DISTRIBUTE PRINTED HANDOUTS. FULL DETAILS AT <http://Skymaps.com/terms.html>

Use the Big Dipper (or Plough) located in the northern sky to find Polaris, the North Star. COMPASS DIRECTIONS ARE INDICATED ALONG THE HORIZON. CELESTIAL OBJECTS ARE LOCATED BETWEEN THE ZENITH AND THE HORIZON.

The constellation Leo (The Lion) is high up in the southern sky. Regulus and Leo have been associated with "kingship" since ancient times.

Alphard means "solitary one" in Arabic, describing well its position in the sky.

Aldebaran means "solitary one" in Arabic, describing well its position in the sky.

INSTRUCTIONS: THE SKY MAP SHOWS THE ENTIRE NIGHT SKY FROM HORIZON-TO-HORIZON AS IT APPEARS ON CERTAIN DATES AND TIMES. THE CENTER OF THE MAP IS THE PART OF THE SKY DIRECTLY OVERHEAD (ZENITH) AND THE OUTER CIRCLE IS THE PART OF THE SKY AT THE HORIZON.

Trace the ecliptic by following an imaginary line from Spica to Regulus.

Take the compass direction that appears along the bottom of the map as the direction that you face. Begin by using the sky map to find a bright star pattern in the sky.

About the Celestial Objects

Listed on this page are several of the brighter, more interesting celestial objects visible in the evening sky this month (refer to the monthly sky map). The objects are grouped into three categories. Those that can be easily seen with the naked eye (that is, without optical aid), those easily seen with binoculars, and those requiring a telescope to be appreciated. **Note, all of the objects (except single stars) will appear more impressive when viewed through a telescope or very large binoculars.** They are grouped in this way to highlight objects that can be seen using the optical equipment that may be available to the star gazer.

Tips for Observing the Night Sky

When observing the night sky, and in particular deep-sky objects such as star clusters, nebulae, and galaxies, it's always best to observe from a dark location. Avoid direct light from street lights and other sources. If possible observe from a dark location away from the light pollution that surrounds many of today's large cities.

You will see more stars after your eyes adapt to the darkness—usually about 10 to 20 minutes after you go outside. Also, if you need to use a torch to view the sky map, cover the light bulb with red cellophane. This will preserve your dark vision.

Finally, even though the Moon is one of the most stunning objects to view through a telescope, its light is so bright that it brightens the sky and makes many of the fainter objects very difficult to see. So try to observe the evening sky on moonless nights around either New Moon or Last Quarter.

Astronomical Glossary

Conjunction – An alignment of two celestial bodies such that they present the least angular separation as viewed from Earth.

Constellation – A defined area of the sky containing a star pattern.

Diffuse Nebula – A cloud of gas illuminated by nearby stars.

Double Star – Two stars that appear close to each other in the sky; either linked by gravity so that they orbit each other (binary star) or lying at different distances from Earth (optical double). Apparent separation of stars is given in seconds of arc (").

Ecliptic – The path of the Sun's center on the celestial sphere as seen from Earth.

Elongation – The angular separation of two celestial bodies. For Mercury and Venus the greatest elongation occurs when they are at their most angular distance from the Sun as viewed from Earth.

Galaxy – A mass of up to several billion stars held together by gravity.

Globular Star Cluster – A ball-shaped group of several thousand old stars.

Light Year (ly) – The distance a beam of light travels at 300,000 km/sec in one year.

Magnitude – The brightness of a celestial object as it appears in the sky.

Open Star Cluster – A group of tens or hundreds of relatively young stars.

Opposition – When a celestial body is opposite the Sun in the sky.

Planetary Nebula – The remnants of a shell of gas blown off by a star.

Universal Time (UT) – A time system used by astronomers. Also known as Greenwich Mean Time. USA Eastern Standard Time (for example, New York) is 5 hours behind UT.

Variable Star – A star that changes brightness over a period of time.

NORTHERN HEMISPHERE APRIL 2020 CELESTIAL OBJECTS



Easily Seen with the Naked Eye

Capella	Aur	•	The 6th brightest star. Appears yellowish in color. Spectroscopic binary. Dist=42 ly.
Arcturus	Boo	•	Orange, giant K star. Name means "bear watcher". Dist=36.7 ly.
Sirius	CMa	•	The brightest star in the sky. Also known as the "Dog Star". Dist=8.6 ly.
Procyon	CMi	•	Greek name meaning "before the dog" - rises before Sirius (northern latitudes). Dist=11.4 ly.
Castor	Gem	•	Multiple star system with 6 components. 3 stars visible in telescope. Dist=52 ly.
Pollux	Gem	•	With Castor, the twin sons of Leda in classical mythology. Dist=34 ly.
Regulus	Leo	•	Brightest star in Leo. A blue-white star with at least 1 companion. Dist=77 ly.
Vega	Lyr	•	The 5th brightest star in the sky. A blue-white star. Dist=25.0 ly.
Betelgeuse	Ori	•	One of the largest red supergiant stars known. Diameter=300 times that of Sun. Dist=430 ly.
Algol	Per	•	Famous eclipsing binary star. Magnitude varies between 2.1 & 3.4 over 2.867 days.
Aldebaran	Tau	•	Brightest star in Taurus. It is not associated with the Hyades star cluster. Dist=66.7 ly.
Polaris	UMi	•	The North Pole Star. A telescope reveals an unrelated mag 8 companion star. Dist = 433 ly.
Spica	Vir	•	Latin name means "ear of wheat" and shown held in Virgo's left hand. Dist=250 ly.

Easily Seen with Binoculars

M38	Aur	•	Stars appear arranged in "pi" or cross shape. Dist=4,300 ly.
M36	Aur	•	About half size of M38. Located in rich Milky Way star field. Dist=4,100 ly.
M37	Aur	•	Very fine star cluster. Discovered by Messier in 1764. Dist=4,400 ly.
M44	Cnc	•	Præsepe or Beehive Cluster. Visible to the naked eye. Dist=590±20 ly.
M3	CVn	•	Easy to find in binoculars. Might be glimpsed with the naked eye.
Mel 111	Com	•	Coma Berenices. 80 mag 5-6 stars in 5 deg. Dist=283 ly. Age=400 million years.
ν Draconis	Dra	•	Wide pair of white stars. One of the finest binocular pairs in the sky. Dist=100 ly.
M35	Gem	•	Fine open cluster located near foot of the twin Castor. Dist=2,800 ly.
M13	Her	•	Best globular in northern skies. Discovered by Halley in 1714. Dist=23,000 ly.
M92	Her	•	Fainter and smaller than M13. Use a telescope to resolve its stars.
M48	Hya	•	12+ stars in 7x binoculars. Triangular asterism near centre. Dist=1,990 ly.
R Hydrae	Hya	•	Long period variable. Mag varies between 3.0 & 11.0 over 390 days. Brilliant red.
R Lyrae	Lyr	•	Semi-regular variable. Magnitude varies between 3.9 & 5.0 over 46.0 days.
2232	Mon	•	A large scattered star cluster of 20 stars. Dist=1,300 ly.
2244	Mon	•	Surrounded by the rather faint Rosette Nebula. Dist=5,540 ly.
M50	Mon	•	Visible with binoculars. Telescope reveals individual stars. Dist=3,000 ly.
Cr 69	Ori	•	Lambda Orionis Cluster. Dist=1,630 ly.
Double Cluster	Per	•	Double Cluster in Perseus. NGC 869 & 884. Excellent in binoculars. Dist=7,300 ly.
M47	Pup	•	Bright star cluster. 15+ stars in 7x binoculars. Dist=1,500 ly.
M46	Pup	•	Dist=5,400 ly. Contains planetary NGC 2438 (Mag 11, d=65") - not associated.
M5	Ser	•	Fine globular star cluster. Telescope will reveal individual stars. Dist=25,000 ly.
Mizar & Alcor	UMa	•	Good eyesight or binoculars reveals 2 stars. Not a binary. Mizar has a mag 4 companion.

Telescopic Objects

ε Boötis	Boo	•	Red giant star (mag 2.5) with a blue-green mag 4.9 companion. Sep=2.8". Difficult to split.
M67	Cnc	•	Contains 500+ stars mag 10 & fainter. One of the oldest clusters. Dist=2,350 ly.
M94	CVn	•	Compact nearly face-on spiral galaxy. Dist=15 million ly.
M51	CVn	•	Whirlpool Galaxy. First recognised to have spiral structure. Dist=25 million ly.
η Cassiopeiae	Cas	•	Yellow star mag 3.4 & orange star mag 7.5. Dist=19 ly. Orbit=480 years. Sep=12".
M64	Com	•	Black-Eye Galaxy. Discovered by J.E. Bode in 1775 - "a small, nebulous star".
3242	Hya	•	Ghost of Jupiter. Bright blue disk. Mag 11 central star. Dist=2,600 ly.
M83	Hya	•	Classic face-on spiral. Discovered in 1752 by Lacaille. In attractive star field.
γ Leonis	Leo	•	Superb pair of golden-yellow giant stars. Mags 2.2 & 3.5. Orbit=600 years. Sep=4.4".
β Monocerotis	Mon	•	Triple star. Mags 4.6, 5.0 & 5.4. Requires telescope to view arc-shape. Sep=7.3".
2264	Mon	•	Christmas Tree Cluster. Associated with the Cone Nebula. Dist=2,450 ly.
M1	Tau	□	Crab Nebula. Remnant from supernova which was visible in 1054. Dist=6,500 ly.
M81	UMa	•	Beautiful spiral galaxy visible with binoculars. Easy to see in a telescope.
M82	UMa	•	Close to M81 but much fainter and smaller.
3132	Vel	•	One of the brightest planetaries. Magnitude 10 central star. Dist=2,600 ly.
M87	Vir	•	Supergiant galaxy with supermassive black hole at its core. Dist=53.5 million ly.
M104	Vir	•	Sombrero Galaxy. Almost edge-on spiral galaxy. Protruding central core.
γ Virginis	Vir	•	Superb pair of mag 3.5 yellow-white stars. Orbit=169 years. At their closest in 2005.

El Calendario del Cielo - Abril 2020

- 1 Luna en cuarto creciente a las 10:21 TU.
- 2 Luna cerca de Castor (cielo nocturno) a las 4h TU.
Luna cerca de Pólux (cielo nocturno) a las 8h TU.
- 3 Luna cerca del cúmulo de la colmena M44 (cielo nocturno) a las 8h TU.
- 4 Venus $0,25^\circ$ SE de Alcyone (la estrella más brillante de las Pléyades) (46° del Sol, cielo nocturno) a 2h TU. Mags. -4,4 y 2,9. Esta es la conjunción Venus-Pléyades más cercana en 8 años. El evento será visible en todo el mundo del 1 al 5 de abril.
Luna cerca de Regulus (cielo nocturno) a las 22h TU.
- 7 Luna en perigeo (la más cercana a la Tierra) a las 17:59 TU (distancia 356.907 km; tamaño angular $33,5'$).
- 8 Luna llena a las 2:34 TU.
Luna cerca de Spica (cielo de medianoche) a las 12h TU.
- 11 Luna cerca de Antares (cielo matutino) a las 15h TU.
- 14 Luna en cuarto menguante a las 22:56 TU.
- 15 Luna cerca de Júpiter (cielo matutino) a las 0h TU. Mag. -2.2.
Luna, Júpiter y Saturno dentro de un círculo de diámetro. $5,5^\circ$ (cielo matutino) a las 7h TU. Mags. -2,2 y 0,6.
Luna cerca de Saturno (cielo matutino) a las 11h TU. Mag. 0.6.
- 16 Luna cerca de Marte (cielo matutino) a las 6h TU. Mag. 0.6.
- 20 Luna en apogeo (la más alejada de la Tierra) a las 19h TU (distancia 406.462 km; tamaño angular $29,4'$).
- 21 Luna cerca de Mercurio (14° desde el Sol, cielo matutino) a las 21h TU. Mag. -0.8.
- 22 Lluvia de estrellas de las Líridas a las 7h TU (variable). Activa del 14 al 30 de abril. El radiante está entre Hércules y Lyra. Se esperan de 10 a 20 meteoros brillantes y rápidos por hora en su pico. Las condiciones de observación son óptimas en el 2020.
- 23 Luna Nueva a las 2:26 TU. Inicio de la lunación 1204.
- 25 Luna cerca de las Pléyades (cielo nocturno) a las 10h TU.
- 26 Luna cerca de Aldebarán (cielo nocturno) a las 3h TU.
Luna cerca de Venus (cielo nocturno) a las 18h TU. Mag. -4.5.
- 28 Venus en su punto más brillante a las 15h TU. Mag. -4.52.
- 29 Luna cerca de Castor (cielo nocturno) a las 10h TU.
Luna cerca de Pólux (cielo nocturno) a las 15h TU.
- 30 Luna cerca del cúmulo Beehive M44 (cielo nocturno) a las 15h TU.
Luna en cuarto creciente a las 20:38 TU.

Todas las horas son en Tiempo Universal (TU). ¡Cielos despejados hasta el próximo mes!